

APPLICATIONS & OUR CUSTOMERS



Hi-Tech
 The Pioneering Sealing Technology
Hi-Tech SEAL PVT. LTD.
 AN ISO 9001:2008 CERTIFIED CO.

MANUFACTURERS & EXPORTERS OF MECHANICAL SHAFT SEALS

Plot No. 5023, Behind Meghmani, GDC, Ambeshwar 393 002
 Gujarat - India. Ph: +91-2046- 640306 Fax: +91-2040-227230
 (M) 98796 97593 (M) 92271 32061 / 99096 79711
 E-mail: sales@hi-techseal.com / hi_tech_rajendra@yahoo.com
 Website: www.hi-techseal.com

Marketing Location: Baroda, Ahmedabad, Surat, Vapi, Mumbai, Pune, Hyderabad, Goa, Chennai, Delhi, Baddi, Indore

DEALER

Design By Aditya Infotech Pvt. 96230 42139

Hi-Tech **Hi-Tech SEAL PVT. LTD.**
 AN ISO 9001:2008 CERTIFIED CO.



Mechanical Seals
 The experts for industrial sealing technology



MECHANICAL SEALS

SPARES

SERVICES

REPAIRING

MECHANICAL SEALS

SPARES

SERVICES

REPAIRING



AIR HEADER (SBE - 126)



- Designed for all Process Applications
- Backed by over one decade of experience
- Widest & Efficient Range ability
- High Performance Resistance
- Consistency of Operation under adverse condition
- Our prompt mark of Sales Services



FLOW LEVEL SAFETY EQUIPMENTS



SB
S.B. ENTERPRISES
 AN ISO 9001 : 2008 CERTIFIED CO.

CONTACT PERSON
 M. Balmi Tiwari MOBILE: +91-99740-52091
 ADDRESS: Plot No. K-1, 7706283, G.I.D.C. Industrial Estate
 Ankleshwar - 389002, Gujarat, India
 PHONE: +91-2040-229664/2210699
 FAX: +91-2040-224533
 EMAIL: sbente@ptseer71@yahoo.in / info@sberteprseindia.com
 WEBSITE: www.sberteprseindia.com

DESIGN BY ASHWINI ENGINEERING PVT. LTD. 02123

SB
S.B. ENTERPRISES
 AN ISO 9001 : 2008 CERTIFIED CO.

Manufacturer of:

- Rotameter
- Level Indicator
- Level Switches
- Strainer
- Manometer
- Sight Flow Indicator
- Breather Valve
- Flame Arrester

CERTIFICATION PROCESS

Application

STEP 1
We ask you to fill in a client information form that gives us basic information about your organization, people involved and operation processes.

STEP 2
Based upon the information provided, we are able to furnish you a quote proposal. We furnish the proposal quote with complete details like costing scope methodology, requirements and Accreditation scope, timescale, terms & conditions and general requirements.

STEP 3
Following your acceptance of our Quote proposal, we request you to fill in the application for registration for the purpose of creating your file and designating the respective client number to the organization. This also confirms the exact way in which your company name and site address will appear along with the description of products or services for which registration is sought.

AUDIT INFORMATION

STEP 4
Once application for registration is received, documentation executive shall raise the audit plan and send it to client within three working days. Audit plan shall reach the client before ten working days of audit.

STEP 5
STAGE 1 AUDIT
The stage one audit is performed by lead auditor at client's premises to check the client's management system documentation & to evaluate the client's location and site-specific conditions and to undertake discussion with the client personnel to determine the preparedness for the stage-2.

STEP 6
STAGE 2 AUDIT
Stage two audit is an assessment audit, which is carried out after phase one audit's inadequacies have been removed and the organization is all set to demonstrate the compliance to the selected international standard. Auditors will plan and conduct the assessment audit as per the work instruction.

STEP 7
GRANTING CERTIFICATE
Once the corrective actions is received it will be verified, the auditors recommends the certificate to the technical committee. After verification and acceptance by the technical committee the registration certificate is granted to the client within fifteen working days.

STEP 8
SURVEILLANCE AUDITS
Surveillance audits are carried out bi-annually to ensure that the certified management system is in compliance and demonstrates continual improvement in terms of systems, products and resource management. Reviewing client's statements with respect to its operations (e.g. promotional material, website).

STEP 9
RE-CERTIFICATION AUDIT
To Check the effectiveness to the management system in its entirety in the light of internal and external changes and its continued relevance and applicability to the scope of certification. To check the client's commitment to maintain the effectiveness and improvement of the management system in order to enhance overall performance. To check whether the operation of the certified quality management system contributes to the achievement of the organization's policy and objectives.

**Our Marketing Branches
Noida & Indore**

IMS
INTERNATIONAL MANAGEMENT SYSTEM CERTIFICATION

Contact Person: Virendra (M) 92279 65204
Address: 305, Lalita Tower, Near Rajpath Hotel, Alkapuri, Vadodara (Gujarat) (India) Ph: (0265) 2320105
Email: info@imscertifications.com | imscvadodara@gmail.com | Website: www.imscertifications.com

QUALITY
IS NEVER
ACCIDENT:

It is Always Result of High Intention
Sincere effort, Intelligent Direction & Skill full Execution
It Represent the wise choice of
many alternatives



**INTERNATIONAL MANAGEMENT
SYSTEM CERTIFICATION**



We will show you The Way to Success!



OUR CLIENTELE

OUR ADDRESS



Contact Person: Jitank Patel (M) 98250 26451
 Plot No. C - 1- 2630, Near Aasen Paints Cross, G. I. D. C. Ankeleshwar - 393 002, Gujarat, India Ph: (02646) 221511
 Email: jayjalaram_jitankpatel@yahoo.com Website: www.jayjalaramgears.com



JAY JALARAM ENGINEERING & FABRICATORS

An ISO 9001 : 2008 Certified Co.

Since 1987



Rack & Pinion
 Helical Gear
 Internal Gear
 Helical Gear 4 Stage
 Crown & Pinion Gears
 Helical With Crown & Pinion
 Spiral Bevel Gear
 Worm Wheel And Worm Shaft
 Bevel Gear

Mfg. of All Types of Gears

All Type of Plants Machinery like Pharmaceutical Plant
 Chemical Plants, Fertilizers Plants, Cement Plants, Stone Quarry Plants

Website: www.jayjalaramgears.com



Contact Person: Omprakash Rai (M) 9986202853 / 9099172109
Address: Plot No. 4706/3, F-14, Shreevathi Arcade, Near Maghmani Organic Ltd. GIDC.,
 Ankleshwar - 393002, Dist. Bhavnagar
Phone Number: (02646) 252953
Email: info@luckyenterprise.co.in / luckyenterprise79@gmail.com
Website: www.luckyenterprise.co.in



Contact Person:
 Omprakash Rai
 (M) 9986202853 / 9099172109

Email:
 info@luckyenterprise.co.in
 luckyenterprise79@gmail.com

SPECIALIST IN:
METAL SURFACE FINISHING
(BUFFING)
PICKLING & PASSIVATION
ON PHARMACEUTICALS EQUIPMENTS



Website: www.luckyenterprise.co.in



COMPANY PROFILE

WHY US

- + Competitive pricing policy
- + Advanced manufacturing facility
- + Skilled team of professionals
- + Extensive research and development
- + Total quality management
- + Timely delivery of all the orders
- + Experienced in Engineering Complete, Efficient Systems to meet

Customer's Individual Requirements.

Above all,

Our entire assortment is based on thorough market research and analysis. We have with us a team of research analysts who strive to upgrade our range from time to time as per the latest technological advancements. Moreover, the equipment we fabricated under the strict vigil of our quality control experts and engineers, who make sure that all the finished products are at par with IS & ISI standards.



Contact Person: Viral Panchal (Mechanical Engineers) (M) 9998194940
Contact Person: Mahendra Panchal (M) 87580 94704 / 99989 96564
Address: Plot No. 420E, Near J.P. Chokadi, GIDC, Estate, Ankleshwar - 393 002, Dist. Bharuch, Gujarat
Office: 102, Radhe Complex, Kapodra Patiya GIDC, Ankleshwar
Email: info@maxwellengineers.co.in / maxwellengineers08@gmail.com Website: www.maxwellengineers.co.in

Viral Panchal
(M) 99981 94940
Proprietor



Nisha Engineering
(An ISO Certified Co.)



OUR PRODUCT RANGE INCLUDE

- Double Cone Blender
- Fluid Bed Dryer (F.B.D)
- Rapid Mixer Granulator
- Storage Tank
- Rotocone Vacuum Dryer
- Lifting & Tilting Device
- Bucket Filter
- Distillation Column



**"WE PROVIDE
BEST QUALITY
OF PRODUCTS
AND SERVICE"**



We have acquired 32291 sq.FEET
of land in Dahej To established the
2nd part of this company
(Nisha Engineering)



Nisha Engineering

Contact Person: Mr. Mahendra Yadav (M.D.) +91 94268 58389
Address: No. 5126/2, G. I. D. C., Near Khwaja Chokdi, Ank. - 393002, Gu
Telephone: 02648 220698 | 02648 651389 Website: www.nishaengg.com
E-mail: mahendra_yadav@yahoo.co.in | sales@nishaengg.com



PEARL ENGINEERS®
 An Iso 9001: 2008 Certified CO.
Gear Boxes & Gear Solutions Under One Roof



EMAIL: sales@pearlengineers.com / pearlengineers@gmail.com WEBSITE: www.pearlengineers.com

PEARL ENGINEERS®
 An Iso 9001: 2008 Certified CO.
Gear Boxes & Gear Solutions Under One Roof



856/15, GIDC Makarpura, Vadodara-390 010 (M) 9227101632 / 9898681215 / 9879644654
 PH: (0265) (F) 6545850 (O) 6544850 / 2794318
 EMAIL: sales@pearlengineers.com / pearlengineers@gmail.com WEBSITE: www.pearlengineers.com



Image by: www.pearlengineers.com

Accelerates Your Business Potential with
innovative PRS Technology India



Manufacturer of Pharmaceutical & Chemical Machineries



PRs TECHNOLOGY
Product Research & Solution

An ISO 9001 : 2008 Certified Co.

Plot No. 4107, Opp. Navbharat Packaging
Near Crystal Chowkdi, GIDC., Ankleshwar
Mobile: +91 94082 93194
Email: info@prstechnologyindia.com
Website: www.prstechnologyindia.com



PRs TECHNOLOGY
Product Research & Solution

An ISO 9001 : 2008 Certified Co.

We are Manufacturing

- Pharmaceutical
- Chemical
- Cosmetics
- Food &
- Process Equipments

Clientele

We believe in attaining maximum client satisfaction by providing them unmatched product range at highly affordable market price. Some of the reputed organisations where our products are being used include:





RAISED ACCESS FLOOR SYSTEM

R A Industries

AN ISO 9001:2015 Certified Co



Contact Person: Udaynath Vishwakarma
 Mobile: +91 8660846174 / +91 9925916979
 Address: Plot No. 5120, GIDC, Ind. Estate,
 Dist. Bharuch, Ankleshwar - 395 002, Gujarat, India
 Phone: 02646 - 221569 Email: raindustries.org@gmail.com | sales@raindustries.co.in
service@raindustries.co.in | purchase@raindustries.co.in
 Website: www.raindustries.co.in



R A Industries

AN ISO 9001:2015 Certified Co



Ribbon Blender

Available Models from 5 Ltrs. to 10,000 Ltrs. Gross Capacity

Salient Features:-

- Efficient and variable blending machine for blending dry powder and granules.
- Different blend design with single/double helical ribbons to suit process requirement.
- Easy to clean and Maintenance.
- Wear and Corrosive Resistance
- Product Contact Part GMP & Non Contact part are cGMP
- Can be designed to customer's specification requirements



Bin blender (Gage Blender)

Available Models from 5 Ltrs. to 2500 Ltrs. Gross Capacity

Salient Features:-

- Excellence mixing of dry powder and granules
- Smart stop positioning for easy loading / unloading for the IPC
- Easy access to internal areas via man-holes for change-over and cleaning
- Quick and easy dry powder product discharge via bottom valve
- Safety railing with a limit switch for safety.
- Easy to clean and Maintenance
- Wear and Corrosive Resistance
- Product Contact Part GMP & Non Contact part are cGMP
- Can be designed to customer's specification requirements



'V'+Blender

Available Models from 3 Ltrs. to 1000 Ltrs. Gross Capacity

Salient Features:-

- Excellence mixing of dry powder and granules
- Fully integrated motors and controls
- Safety railing with a limit switch for safety.
- Easy to clean and Maintenance
- Wear and Corrosive Resistance
- Product Contact Part GMP & Non Contact part are cGMP
- Can be designed to customer's specification requirements



RAJESHWARI ENGINEERING

AN ISO 9001 : 2015 Certified Co.

Address:

Plot No 905/11/17, Near Ganesh Chowkd,
G.I.D.C., Pansoli-393 002, Dist: Bharuch Gujarat, India
Mobile: +91 - 9426878248 | +91 - 9825127853
Email: info@rajeshwariergg.com Website: www.rajeshwariergg.com

Design By: Aditya Infotech (M) 98825042135



RAJESHWARI ENGINEERING

AN ISO 9001 : 2015 Certified Co.



Manufacturer of
Equipment and Machine for
Pharmaceutical
Chemical, Cosmetics &
Food Industries



RKGJ Financial Consultancy Pvt. Ltd.

308, 3rd Floor Gayatri Chamber Near Rajpat Hotel, Opp. Railway Station
Akrapur, Vadodara - 390005 Tel: 0265-3928902 / 903 / 304 Telefax: 0265-3928903
(M) 8866088111, 8866056122, 8866059333, 8866060444, 8866063555, 7779007971, 8488504513
Website: www.rkgjfinancial.com Email: rkgjfinancialconsultancy@gmail.com / rkgjfinancialtd@gmail.com



PROPERTY LOAN



PERSONAL LOAN



GOLD LOAN



PROJECT LOAN



RKGJ Financial Consultancy Pvt. Ltd.

An ISO 9001:2008 Certified Co.



LOAN APPLICATION FORM

Fund Provided By
Worldvoice Hi-Tech Assurance Services Pvt. Ltd.



Corporate ID No: U74140GJ2012PTC069847
Service Tax No: AAFCR8333K5D004
Pan No: AAFCR8333K

END SUCTION PUMPS PERFORMANCE TABLE AT - 1440 RPM

Model	Suction Size	Discharge	Impeller Dia	HP	RPM	Head in mtr./ Capacity in m ³ / hour					
SP-PP-50R	40	40	195	2HP	1440	13/00	12/5	11/10	10/15	9/20	8/24
SP-PP-50	75	40	205	3HP	1440	14/00	13/5	12/15	11/20	10/25	9/30
SP-PP-55	75	50	212	5HP	1440	16/00	15/5	14/14	12/25	10/35	8/45
SP-PP-50	50	50	220	5HP	1440	17.5/00	17/16	15/25	13/30	11/40	8/48
SP-PP-100R	75	50	250	15HP	1440	24/00	23/40	21/60	20/80	16/100	13/115
SP-PP-100	100	75	265	20HP	1440	24.5/00	24/65	22/90	19/135	18/150	15/170
SP-PP-150R	100	75	315	40HP	1440	34.5/00	34/50	33/105	31/125	28/165	22/250
SP-PP-150	150	100	320	50HP	1440	35/00	34/50	31/190	29/240	26/280	25/300

END SUCTION PUMPS PERFORMANCE TABLE AT - 2880 RPM

Model	Suction Size	Discharge	Impeller Dia	HP	RPM	Head in mtr./ Capacity in m ³ / hour					
SP-PP-120	40	40	120	2HP	2880	18/00	16/08	15/12	12/20	10/24	00/00
SP-PP-130	40	40	150	3HP	2880	23/00	20/08	18/12	15/18	12/24	08/30
SP-PP-160R	40	40	142	3HP	2880	24/00	22/03	20/10	18/12	15/18	10/26
SP-PP-160	75	40	160	5HP	2880	31/00	26/12	25/15	20/25	15/30	10/35
SP-PP-170R	50	50	160	5HP	2880	31/00	30/10	25/18	22/24	18/30	15/35
SP-PP-170	75	50	160	7.5HP	2880	35/00	32/15	30/25	25/32	20/38	12/50
SP-PP-40	50	40	190	12.5HP	2880	48/00	45/04	40/15	35/25	30/42	25/45
SP-PP-50	50	50	200	15HP	2880	61/00	60/12	59/20	55/32	50/50	55/65
SP-PP-75	75	50	185	20HP	2880	47/00	45/25	43/60	40/75	35/90	30/105

INDUSTRY SERVED

- Steel
- Textile
- Pulp & Paper
- Pesticides
- Dyes & Intermediates
- Sugar & Cement
- ETP
- Fine Chemicals & Basic Drugs
- Chemical
- Refinery
- Pharmaceuticals
- Electronic
- Power Generation
- Anodizing

CONTACT DETAILS



Sai Pumps & Services

Contact Person:
Gururaj Biradar (M) 99789 77199 / 97372 78881
Factory Address:
Plot No. L- 5203/10, New Megha Chowkd
Opp. Bal Hanuman Mandir, GIDC, Ankleshwar - 393002
Dist. Bharuch, Gujarat **Website:** www.saipumps.com
Email: sales@saipumps.com, saipumpsservices@gmail.com



Sai Pumps & Services



Side Suction Slurry Pumps



Metallic Pumps



PP Pumps



PP Monoblock Pump



Vertical Glandless Pumps



We give 100% Pumping Solution



Mechanical Seal & Sleeves Website: www.saipumps.com

LIMPET COIL



Spinning Machine



Hydraulic Press



Limpet Coil Bending Machine

STAR
ENGINEERING WORKS

Contact Person: Ashok bhai (M) 98257 54551
Address: Plot No. 7317, GIDC., Ind. Estate
Ankleshwar - 393002, Dist. Bharuch, (Gujarat)
Phone Number: (O) (02648) 224804
Email: sales@starenggindia.com | Website: www.starenggindia.com

The company has been growing leaps and bounds with the active support of our esteemed customers.

Manufacturer, Supplier & Exporter of
Precision Engineered &
Technologically Advanced
Industrial Equipments Across The Globe.



CP
HARMACEUTICAL
OSMETIC AND
HEMICAL

STAR
ENGINEERING WORKS

www.starenggindia.com

JACKETED NON JACKETED TANK / MIXER



500L To 10KL

Our Vessel is your single source for jacketed vessels. Whether you need a half-pipe, dimple, or conventional jacket, our experts will help you. We can provide any combination of vessel and jacket materials. Our shop rolls sheets and half-pipe coils to alleviate any delays in the fabrication of your vessel. We can also install baffles and agitators for mixing applications. Before you buy your next jacketed vessel

OUR MANUFACTURING CAPACITY OF TANK IS AS PER BELOW LIST.

CAPACITY IN LTRS.		MODEL
WORKING	GROSS	
500	750	SE JTM 750
750	1000	SE JTM 1000
1500	2000	SE JTM 2000
2000	2500	SE JTM 2500
2500 to 7500	3000 to 10KL	SE JTM 3000 to 10KL

STORAGE TANK



500L To 20KL

A storage tank is a container, usually for holding liquids, sometimes for compressed gases (gas tank). The term can be used for reservoirs (artificial lakes and ponds), and for manufactured containers.

Our manufacturing Capacity of Storage Tank is as per below list.

CAPACITY IN LTRS.		MODEL
WORKING	GROSS	
500	750	SE ST 750
750	1000	SE ST 1000
1500	2000	SE ST 2000
2000	2500	SE ST 2500
2500 to 20KL	3000 to 21000	SE ST 3000 to 20KL



PHARMACEUTICAL
COSMETIC AND
HEMICAL



Pharma Equipments Consultants & Engineers

OUR GROUP OF COMPANY: SURFACE ENGINEERING

Contact No: Chandra Sekar (M) +91-9879548177
Address: Shaif No. 5215, K.D. Banerji and Engg. Compound
Opp. 7th Tank, GIDD, Akkleshwar, Dist. Bharuch - 383002, Gujarat (India) Ph: +91-2616-430430
Email: info@pharmaeqts.com / surface_eqts@yahoo.com / pharma_equipment@yahoo.com
Website: www.pharmaeqts.com / www.surfaceengineering.co.in


Pharma Equipments



Consultants & Engineers

Pharma Equipments Consultants & Engineers

OUR GROUP OF COMPANY: SURFACE ENGINEERING



AHURA INSTRUMENTS

Contact Person:
Nirvel S. Tangri (M) +91 9924356957 | 7016591302 | 9904625150
Address: Plot No. 4604, Near Moghmani Chokdi, Opp. Vandani Chemical,
GIDC, Ankleshwar - 393002 Dist. Bharuch, Gujarat, India
Office: +91 9326631106 **Website:** www.ahurainstruments.com
Email: info@ahurainstruments.com | ahuraint042@gmail.com | net028@gmail.com

AHURA INSTRUMENTS

FLOW LEVEL

SAFETY EQUIPMENTS



PRODUCT BROCHURE

Manufacturer of:

- Rotameter
- Level Indicator
- Level Switches
- Strainer
- Manometer
- Sight Flow Indicator
- Breather Valve
- Flame Arrester
- Show Glass

- Designed for all Process Applications
- Widest & Efficient Range ability
- High Performance Resistance
- Consistency of Operation under adverse condition
- Our prompt mark of Sales Services

Max Flow Rate: 135Lph (34gpm) Port size: Inlet: 25.40mm (1" BSP) Discharge: 25.40mm (1" BSP) Air Inlet: 5.54mm (3/8" BSP) Air Exhaust: 12.70mm (1/2" BSP)	Max Flow Rate: 270Lph (72gpm) Port size: Inlet: 38.10mm (1 1/2" BSP) Discharge: 38.10mm (1 1/2" BSP) Air Inlet: 5.54mm (3/8" BSP) Air Exhaust: 12.70mm (1/2" BSP)	Max Flow Rate: 585Lph (155gpm) Port size: Inlet: 50.80mm (2" BSP) Discharge: 50.80mm (2" BSP) Air Inlet: 12.70mm (1/2" BSP) Air Exhaust: 19.05mm (3/4" BSP)
Suction lift: Dry: 3.05m (10') Wet: 4.89m (16')	Suction lift: Dry: 4.57m (15') Wet: 7.62m (25')	Suction lift: Dry: 4.57m (15') Wet: 7.62m (25')
Teflon: Dry: 2.14m (7') Wet: 3.33m (11')	Teflon: Dry: 3.05m (10') Wet: 6.09m (20')	Teflon: Dry: 3.05m (10') Wet: 6.09m (20')
Max Particle Size (Dia): 3.17mm (0.125")	Max Particle Size (Dia): 4.89mm (0.192")	Max Particle Size (Dia): 4.89mm (0.192")
		
AOD-300PP / SS / PVDF	AOD-40PP / SS / PVDF	AOD-500PP / PVDF

APPLICATION:

PRO. Series pumps are an ideal choice for pumping acids and alkalis, typical applications include Chemical & Pharmaceutical industries chlor alkali plants, steel plants, water treatment plant

MODEL	SUCTION (MM)	DELIVERY (MM)	IMPELLER (MM)	HP	SPEED	Capacity in M ³ /Hr.											
						Head in mtr.											
PRO. 100	25	25	100	01	2900	13	04	11	06	08	07	05	09	03	10	0	11.5
PRO. 120	40	32	120	02	2900	22	05	19	07	13	11	10	13	05	15	0	17
PRO. 130	40	40	135	03	2900	25	08	20	10	15	10	18	05	20	0	23	
PRO. 160R	40	40	142	3	2900	25	10	29	13	20	05	21	02	21	00	24	
PRO. 160	75	40	157	5	2900	35	10	30	15	28	10	25	05	27	00	29	
PRO. 170	75	50	160	7.5	2900	50	10	45	15	40	20	30	20	30	00	33	
PRO. 40	50	40	190	12.5	2900	40	25	35	30	35	40	10	45	00	50		
PRO. 50R	40	40	190	02	1440	24	08	20	8.5	08	10	10	10.5	00	11		
PRO. 50	75	40	205	03	1440	32	10	25	11	15	12	05	13	0	14	00	
PRO. 55	75	50	212	05	1440	50	06	45	10	35	16	14	0.5	15	00	33	

B. J. Pumps & Equipments

Dealers In:

Elera Aoddi Pump, Alfa Pump (PE, PVDF)
 Proper Flow Pump, Plastico Pump (SS) &
 Mechanical Seal

Available In: Pumps Spares

KSS, Kirloskar, Ingers, Artico, Alfa
 Fluorinated, Rajadis, Orbit Pump, Swaraj Pumps &
 All types of Mechanical Seals & Sleeves



B. J. Pumps & Equipments

Bajendra Barik (M) 93753 30545 / 88669 72604
 Plot No. 4908/9/1, Near Karmatar Chokd, Opp. Vandana Chemical, GIDC,
 Ankleshwar - 393002, Dist. Bharuch, Gujarat Email: bjpumps Equipments@gmail.com



OUR KNIVES BLADES ARE :

Made From Best Imported Steel With Suitable Hardness.

Made As Per Customer Specification Whether it is of Hard Facing Welding Electrode. Solid Carbon Tool Steel HCHC Steel & The Inlaidtungsten Carbide Tip Blades, Essential for Good Cutting Which reduces The Machine Load And Enhances Machine Life.

We Use High Quality Electrodes In Manufacturing of Welded Blades Superior Quality.

Our Blades are made of Certified Hard facing Welding Which Maintains Required Hardness & Quality For Cutting & Retains A Fine Cutting Edge For a Long time.

All Products Are Properly Heat Treated To Give Uniform Hardness & Maximum Cutting Performance.

Precision Grinding Done to Exact Point of Tolerance As Required.

Testing & Inspection is Done At All Stages of Production To Ensure That High Standard Are Maintained.

We are Pleased To Respond Favourably To Your Genuine Enquires.

FEATURES :

Large Range of Granulator & Palletising Blades Suitable For Granulating, Palletizing & Dicing of Plastic or Man Made Fibers.

Correct Blance of Stock And Wear Resistance & Excellent Durability To Ensure Smooth Operation Which Increases. The Cutting Efficiency for All Grades of Polymers And Elastoms.

Optimum Hardness & Toughness.

ADDRESS :

SANGEETA ENGINEERING ENTERPRISE

Plot No. 4611, B/2, Near Khwaja Chowkdi, GIDC.,
Ankleshwar - 393 002. Dist. Bharuch (Gujarat)
Tel/Fax : +91 - 2646 - 224957 (M) 098241 24587, 098243 89197
Email : sangeetaenterprise@yahoo.com
Email : seenterprise@1gmail.com



SANGEETA ENGINEERING ENTERPRISE

ASSURED SUPERIOR PERFORMANCE IN PLASTIC CUTTING WORKS

Sangeeta Engineering Enterprise Knives Are Widely Accepted In Plastic Reprocessing Industries & Have Firmly Established Itself As A Major Supplier To This Industry.



PLASTIC INDUSTRIES BLADES :

- We Offer An Extensive Range of Advance Plastic Processing Blades For a Wide Variety of Applications.
- We are Manufacturing All Kind of Industrial Blades Used In Plastic Reprocessing Industries.

OUR REGULAR TYPES OF BLADES ARE :

- Agglomerator Bladess,
- Granulator BIDES,
- Mixer Blades
- Pelletizers Blades
- We Also Provide Any Kind of Blades
- As Per Customer Requirement.



BHAVANI REFRACTORIES
CORROSION CONTROLLER



Website: www.bhavani-refractory.com

Our Major Clientele:



BHAVANI REFRACTORIES
CORROSION CONTROLLER

Contact Person: Rakish Kumar
(M) 94261 33057 / 98245 54895

Plot No. 12, Madhusan Society, Near Amr Colony, GIDC, Ankleshwar, Dist. Bharuch, Gujarat
Website: www.bhavani-refractory.com Email: info@bhavani-refractory.com

Design By: Arjun Vithwal (M) 98261 42173

Email: info@bhavani-refractory.com

Our Major Clientele

We offer Acid Proof Bricks Lining, Epoxy Screed, Epoxy Grout. We take pride in a long list of satisfied clients who have shown complete trust in us and our solution and services. Repeat orders form as high as 85% of our clients is a testimonial to our quality of our products and servicing & Coating, Mastic Powder in wide range in any chemical industries floors, drains, storage & reaction vessels etc.



Plot No. 12, Madhuban Society, Near Rajhapatnash Temple
 GRC, Ankleshwar Dist., Bhavnagar, Gujarat, India
 Website: www.bhavanirefractory.com
 Email: info@bhavanirefractory.com

Contact Person
 Zahed Raza
 (M) 94261 53557
 (W) 98243 54261



BHAVANI REFRACTORY

CORROSION CONTROLLER

- Acid Proof Tile / Brick Lining
- Mastic Lining
- FRP Lining
- Coal Tar Lining
- Epoxy Flooring & Coating



Email: info@bhavanirefractory.com

- We want to understand your business
- We align business priorities with people, process and technology innovation for competitive advantage

We are Manufacturer, Supplier and Trader

- Steel Rolling Shutters,
- Aluminum Rolling Shutters
- Perforated Rolling Shutters
- Fancy Rolling Grills & Rolling Grills
- Collapsible Gates
- Aluminum Alloy Manual Shutters
- Motorized Steel Rolling Shutters
- Automatic Sliding Gate Systems
- Automatic Swing Gate Systems
- Fancy Rolling Grill
- Collapsible Gates
- Wireless Controls and Slats.

Wide range of models ofr rolling shutter & gates weighing from 150kg to 2000kg in indian design

Our Corporate Clients



Design by Aditya Infotech (M) 98250 42145



BOMBAY ROLLING SHUTTER

Contact Person:
J.N. Kapoor (91) 98241 86466 / 78199 96798
M.N. Kapoor (91) 99040 64331

Office Address:
J-1, Kewal Shopping Centre, Near Mega Automobile
Old N.H. No. 8, Ankleshwar - 02, Dist. Bharuch, (Gujarat)

Factory:
Kapodra Road, N.H.No. 8, Near Shri Dinash Mills,
Opp. Nitole Paper Mill, Ankleshwar - 02 Dist. Bharuch, (Gujarat)

Website:
www.bombayrollingshutter.com

Email:
info@bombayrollingshutter.com / bombayrollingshutter@gmail.com



BOMBAY ROLLING SHUTTER

Website: www.bombayrollingshutter.com

LIST OF OUR VALUABLE CLIENTS

01 Oil & Natural Gas Resources Ltd.
(Ankleshwar & Hazira Surat)

02 Container Corporation of India
(Ankleshwar & Varnama Vadodara)

03 Gujarat Industries Power Co Ltd
(Nari Naroli Dist Surat)

04 Gujarat Council Primary Education
(Dist. Bharuch, Surat & Namada)

05 Western Railway
(Vadodra Div)

06 Kribhco Infrastructure Ltd.
(Hazira Estate Surat)

PRIVATE / INDUSTRIAL SECTOR

01 Solvay Specialities India Ltd
(GIDC Estate Pandli, Dist Bharuch)

02 Eantas Beck India Ltd
(Ankleshwar Industrial Estate)

03 Coromandal International Ltd
(Ankleshwar & Dahej)

04 Isagro (Asia) Agrochemical India Pvt Ltd
(GIDC Estate Pandli, Dist Bharuch)

05 Lions Group Ankleshwar
(Ankleshwar Industrial Estate)

06 Rhodia Polymers & Specialities India Pvt. Ltd.
(GIDC Estate Pandli, Dist Bharuch)

07 Songm Speciality Chemical
(Ankleshwar)



BUILD WELL ENGINEERS

We Create Values

Build Well Engineers is one of the leading Civil Engineering and infrastructure Development companies with more than two decades ago our company stepped in construction business in a modest way.

AN ISO 9001:2008 Certified Co.

AN ISO 14001:2004 Certified Co.

OHSAS 18001:2007 Certified Co.

We put all our energy to the success of your projects



BUILD WELL ENGINEERS

We Create Values

Name of Proprietor: Kesur N. Pithia


Type of Firm: Proprietorship

Office Address: Plot No. 225, Near G.I.D.C. Fire Station, G Dalabhai Transport Road, G.I.D.C., Ankleshwar 393 002

Contact Details: Tel/Fax No.: 02646 224242

Mobile No: 098250 44535 | 099250 13770

Email Address: builwellp@gmail.com





KDS (FF) FIRE FIGHTING MONOBLOC

Head Range	Upto 52 metres.
Discharge Range	Upto 31 LPS.
Power Rating	2.2 - 15kW (3.0 to 20HP)
Voltage Rating	300 - 440V. (3Ph.)
Features	Mechanical Seal sealing
	Delivery Casing & Impeller are CED Coated.
Application	Fire fighting
	Boosting pump in fire fighting system



KOS OPENWELL SUBMERSIBLE PUMPS

Head Range	5 to 64 metres.
Discharge Range	36.0 to 2.1 LPS
Power Rating	2.2kW - 11.19kW (3.0HP to 15HP)
Voltage Rating	200 - 440V. (3Ph.)
Features	Easy installation & maintenance.
	CED coated Cast Iron components long life rust free.
	Designed to prevent overloading & motor burning.
Application	Submerged pump in Wells, Sumps & Water tanks.
	Gardening and sprinklers conventional irrigation.



" SP " SELF PRIMING PUMPS

Capacity	Upto 60 LPS
Head	Upto 46 metres
Nozzle Size	Upto 200mm
Power Rating	0.75kW - 18.5kW (1.0HP - 25HP) -Motor
	6HP - 26HP for Diesel Engine
Solid Size	Upto 60mm (Size will vary depending on the model.) Self Priming & Able To Handle Suspended Soft Solids.
Features	Back Pulout Design
	Impeller is C.E.D. Coated.
Application	Sewage / Muddy Water / Trash
	ETP Plant, Construction Site Etc.



DOMESTIC PUMPS (Single Phase)

Head Range	3m. - 52m.
Flow Range	3660 - 200 LPH
Motor Rating	0.12HP - 1.5HP
Self priming upto 7.5metres.	
Thermal overload protector (TOP)*	
TEFC capacitor start motor with IP-44 protection and class B insulation	
Double shielded ball bearings.	

Champaklal & Sons
AGRICULTURAL MONOBLOCS PUMPS
 Contact Person: Mr. Shailesh Mehta (M) 93282 40909
 Address: B-7, Shalimar Shopping Center, Station Road
 Bharuch-392001, Gujarat, India Ph: (02642) 240609
 Website: www.champaklal.com Email: cnsns@dataone.in

Authorised Dealer of Kirloskar

Kirloskar

Enriching Lives



हर कदम, हर डगर
 किसानों का हमसफर



Champaklal & Sons

AGRICULTURAL
 MONOBLOCS PUMPS





" CF " SIDE CHANNEL PUMP

Capacity	Upto 20m ³ /hr.
Head	Upto 315 metres.
Nozzle Size	Upto 50mm
Temperature	-40 Deg.C. to 120 Deg./C.
Features	Gland Packed / Mechanical Seal
	Conforming to DIN2501
	Self Priming
Application	Petroleum, Chemicals & Process
	Industries, Air Conditioning, Boiler
	Feed, Ship / Naval Engineering Etc



HORIZONTAL MULTI STAGE PUMP : RKB

Head Range	Upto 850 metres.
Capacity	Upto 850m ³ /hr.
Delivery size	Upto 250mm
Temperature	(-) 40Deg./C to 140Deg./C.
Features	Gland packed / Mechanical Seal, 50Hz/60Hz availability
Application	Fire fighting, Booster system
	Mine dewatering, Boiler feed



RISING / NON RISING GATE VALVES

Size	50mm to 1300mm
Pressure	PN 1.0 to PN 1.6
Conforming to IS:14346	

GATE VALVES (CAST STEEL)

Conforming to API 600	
Class 150# sizes 2" to 24"	
Class 300# sizes 2" to 12"	
Class 600# sizes 2" to 14"	



Reflux (swing Check Type Non Return) Valves

Size	40 TO 700mm -Single door
Pressure	Upto PN 1.6
Conforming to IS:4212 (Part-1)	
Pressure	Upto PN 16
Conforming to BS EH 12334 (Formerly BS 5153)	

BUTTERFLY VALVES

Size	50mm to 2500mm
Pressure	Upto PN 16
Conforming to BS-5155	
Pressure	Upto Class 250
Conforming to AWWA C 504	
Higher pressure on request.	



FOOT VALVES

Size	50mm to 450mm
Conforming to IS:4038	
* Water upto 45Deg./C.	



Energy Efficient Stream Trap Device



Kinetic Air Valves



Champaklal & Sons

INDUSTRIAL PROCESS & SOLID HANDLING PUMPS



INDUSTRIAL
PROCESS

SOLID
& HANDLING
PUMPS



Authorised Dealer of Kirloskar



Enriching Lives

Contact Person: Mr. Shailesh Mehta (M) 93282 40609
Address: B-7, Shalimar Shopping Center, Station Road
Bharuch-392001, Gujarat, India Ph: (02642) 240609
Website: www.champaklal.com Email: onsons@dataone.in



" DSM " DOUBLE STAGE SPLIT CASING PUMP

Capacity	Upto 400m ³ /hr.
Head	Upto 150 metres.
Nozzle Size	Upto 1100mm
Features	Gland Packed / Mechanical Seal
Application	Water Works, Air Conditioning Plants,
	Fire Fighting, General Water Services,
	Cooling Water & Circulation Services Etc.



" MF " MIXED FLOW PUMP

Capacity	Upto 7000m ³ /hr.
Head	Upto 30m.
Nozzle Size	Upto 650mm
Features	Back Pullout Design, Single Stage
Application	Pumping Drainage Water, Storm Water,
	Supplying Water From Settling Tanks,
	Agriculture For Lift Irrigation, For Industries
	Hot / Cold Water, Air Conditioning Plants,
	Power Stations, Textile Mills And Sewage Handling Etc.



" GK " END SUCTION PUMPS

Capacity	20 to 450m ³ /hr.
Head	Upto 60Mtrs.
Nozzle Size	65 to 125mm
Temperature	Upto 90Deg./C.
Speed	1450RPM
St. box sealing	Gland packed/Mech. Seal
Features	Back pullout, Max. allowable suction pressure -12Kg/cm ²
	Conforming to ISO5199
Application	Water supply, Sprinkling / Ind. Water / Air conditioning
	Hot water upto 90Deg./C, Fire fighting
	Cooling water Condensate / Clear juice etc.



" IHT " SINGLE / DOUBLE STAGE SPLIT CASING PUMP

Capacity	30 - 300m ³ /hr.
Head	30 - 250Mtrs.
Nozzle Size	Upto 300mm
Speed	2900RPM
Sealing	Gland packed/Mechanical seal
Features	Single /Double stage split casing pump
	Maintenance friendly design.
Application	Water works, Air-conditioning plants,
	Fire fighting, General water services, Cooling water
	& Circulation services etc.
	Paper /Steel /Sugar plant



Champaklal & Sons INDUSTRIAL UTILITY PUMPS

Authorised Dealer of Kirloskar



Enriching Lives

World Class Industrial Pumps & Many Other Products



Contact Person: Mr. Shailesh Mehta (M) 93282 40609
Address: B-7, Shalimar Shopping Center, Station Road
Bharuch-392001, Gujarat, India Ph: (02642) 240609
Website: www.champaklal.com Email: cnsors@dataone.in



OUR MAIN PRODUCTS ARE

- PP TANK • FRP TANKS • PP BLOWER • FRP BLOWER • SCRUBBER
- AGITATOR • SPIRAL REACTION VESSEL • PICKLING TANK
- FRP MOTOR GUARD • FRP PATRA • MANCHURY SYSTEM
- MANCHURY HDPE SPIRAL TANK • FRP/FRV • PIPE BAND TEE • FRP TROLLEY • HDPE TROLLEY POLLUTION CONTROL SYSTEM
- HDPE PIPE FITTING SUPPLIER ETC.



Since the mortars manufactured by us are mainly used in operational area of chemicals industries. We understand the necessity of quality. That is why we follow strict quality control system. During the manufacturing process all the quality measures are taken care of by team of experienced and dedicated engineers and supervisors.

SERVICES

Initially our prime activity is to carry out acid / alkali proof bricks / tiles lining. But later on we begun to concentrate on other activities also like:

- FRP LINING, PP LINING
- BLOWER - SCRUBBER LINING
- REPAIRING OF ALL TYPE OF LINING WORK
- AR, ACID PROOF BRICK LINING WORK
- RUBBER LINING



Chemi CHEMI FIBRE GLASS (EQUIPMENT)

An ISO 9001 : 2015 Certified Co.

Office : Plot No. 7612, Kamshur Chowki, GDC, Ind., Estate, Ankleshwar
 Factory : Plot No. D-3/E/375 at Dahanu-III, Industrial Estate, Dahanu
 Mobile : 96253 72955 | 96253 75994
 Website : www.chemifibre.com
 Email : sales@chemifibre.com | chemifibreglass@gmail.com



Chemi CHEMI FIBRE GLASS (EQUIPMENT)

An ISO 9001 : 2015 Certified Co.



Website : www.chemifibre.com
 E-mail : sales@chemifibre.com

FIBRE GLASS SECTION

Manufacturing of:

- Acid Proof Lining • Rubber Lining
- PP FRP Tank
- M.S. Staker HDPE Lining
- Tank Nozzle Fitting
- Fabrication of HDPE / PP Pipes
- PP Blower • Epoxy Lining
- Scrubber • Fiber Sheet • Dryer Tray • FRP Lining

SPIRAL TANK SECTION

Manufacturing of:

- HDPE & PP Spiral Tank
- Vessels
- HDPE Reaction Tank
- HDPE Scrubber
- PFRFR Blower
- HDPE & PP Agitators & Chemicals Equipments

COLUMN

In order to meet the variegated demands of the clients, we have come up with a wide range of Distillation Columns. With the help of our dedicated team of professionals and sophisticated infrastructure, we design all the products as per the standards. All the products are rigorously examined by our quality controllers team. In addition to this, we are offering these products in varied designs, sizes, and specifications as per the exact requirements of our esteemed clients.



PIPING SPOOL

We are happy to supply one-off products or batches, according to your specific needs. All of our piping systems are as per quality standard and our expert team of designers, welders and craftsmen have specialist knowledge of carbon steel, stainless steel and high alloys resistant to corrosion and high temperatures.

Post welding, our pipelines are fully inspected and tested via a range of Non Destructive Testing (NDT) processes including Leak Test, Hydraulic Pressure Test and Vacuum Test.

Finishing techniques include bead and shot.



FABRICATION

We are ranked amongst the leading service provider of Industrial Fabrication Services. These services are rendered by knowledgeable professionals. In addition to this, these erection and fabrication works services are offered at industry leading and pocket friendly prices.

Our entire services are planned and executed as per the international standards of quality. Our skilled professionals execute the entire services as per the clients' requirement. Our services increase the lifespan of the products and are known for corrosion and abrasion resistance.



WE ARE MANUFACTURING

- Pressure Vessel
- Heat Exchanger
- Storage Tank
- Column
- Reactor
- Piping Spool

by
Shri Rajesh Rajput
(M) +91 99251 13721
Shri Umesh Singh Rajput
(M) +91 98251 13721

DARON
ENGINEERING PVT. LTD
HEAVY FABRICATION DIVISION

As ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2017 Certified

Work Address: Plot No. 1011, G.I.D.C. Industrial Estate, Ankleshwar, Dist. Bharuch 393002, Gujarat - India

Office Address: Plot No. 134, Opp. Pratistha Prints, GIDC., Pandesara, Surat - 394221

Phone Number: 0261 - 2893787

Website: www.daroneng.com **E-mail:** daronengg@gmail.com

DARON
ENGINEERING PVT. LTD
HEAVY FABRICATION DIVISION
An ISO 9001 : 2015 Certified



» <http://www.daroneng.com>
mail: daronengg@gmail.com



HEAT EXCHANGER (Shell & Tube Type)

It is the most common type of heat exchanger in oil refineries and other large chemical processes, and is suited for higher-pressure applications. As its name implies, this type of heat exchanger consists of a shell, with a bundle of tubes inside it. One fluid runs through the tubes, and another fluid flows over the tubes (through the shell) to transfer heat between the two fluids. The set of tubes is called a tube bundle, and may be composed of several types of tubes: plain, longitudinally finned, etc.

We manufacture Heat Exchangers in per ASME Sec. VIII, Div. 1 based and TEMA B & C. Different MOC options are available to suite process requirements.

Capacity Ranging from 1 M2 to 125 M2



STORAGE & MIXING VESSEL

DHARMA manufacture vertical as well as horizontal storage vessel in Stainless / mild Steel construction. Our storage vessels are robust in construction and manufactured using latest production techniques. We use high quality stainless steel materials. DHARMA storage vessels are widely used in Pharmaceuticals, Cosmetics, Food & Beverages and Chemical Processing industries ranging from 30 Ltrs. to 50,000 Ltrs.



MACHINERIES & EQUIPMENTS FOR

- Pharmaceutical Industries
- Cosmetics & personal Care industries
- Food & Beverages Industries
- Bulk Drugs and Drug intermediate Industries

SPECIALIST IN: Specialist In Mixers, Blenders & Dryers For Pharmaceuticals & Bulk Drugs Industries



AN ISO 9001 : 2008 Certified Co.

DHARMA ENGINEERING

Plot No: 5133, GDC, ANKUSHWAR - 393002, DIST. BHARUCH, GUJARAT, INDIA.
Phone: +91-2646-225138 | Telefax: +91-2646-225138

REPRESENTATIVE - NORTH INDIA

Mobile: (M) +91 97170 17827 | +91 8511 170751

Email: dharmaeengineering@gmail.com, sales@dharmaeeng.com, marketing@dharmaeeng.com, dharmadevs@dharmaeeng.com

Website: www.dharmaeeng.com

SISTER CONCERN:

DHARMA INDUSTRIES | DHARMA FABRICATOR

Aaditya (M) +91 88258 42100



AN ISO 9001 : 2008 Certified Co.

DHARMA ENGINEERING

WE BELIEVE IN QUALITY AND SERVICE

Order of Preference			
Maximum Filtrate Clarity	Staple Fiber	Multifilament	Monofilaments
Minimum Resistance to Flow	Monofilaments	Multifilament	Staple Fiber
Minimum Moisture in cake	Monofilaments	Multifilament	Staple Fiber
Easy Cake Discharge	Monofilaments	Multifilament	Staple Fiber
Maximum Cloth Life	Staple Fiber	Multifilament	Monofilaments
Least Tendency to Blind	Monofilaments	Multifilament	Staple Fiber

Fiber Properties							Max. Operating Temp. °F (°C)	
Fiber	Available in	Tensile Strength	Abrasion Resistance	Acid Resistance	Alkali Resistance	Supports Combustion	Continuous	Surges
Cotton	Woven	Good	Good	Poor	Good	Yes	180 (82)	200 (93)
Polypropylene	Woven, Felted	Excellent	Excellent	Excellent	Excellent	Yes	170 (77)	200 (93)
Nylon	Woven	Excellent	Excellent	Poor	Excellent	Yes	200 (93)	250 (121)
Wool	Woven, Felted	Poor	Fair	Good	Poor	No	200 (93)	230 (110)
Homopolymer Acrylic	Woven, Felted	Good	Good	Very Good	Fair	Yes	200 (127)	284 (140)
Copolymer Acrylic	Woven, Felted	Average	Fair	Good	Fair	Yes	230 (110)	248 (129)
Polyester	Woven, Felted, Non-Spun Bonded	Excellent	Excellent	Fair	Fair	Yes	275 (135)	300 (149)
Aramid (Nomex)	Woven, Felted	Very Good	Excellent	Fair	Good	No	375 (191)	425 (218)
Teflon	Woven, Felted	Average	Fair	Excellent	Excellent	No	450 (232)	500 (260)
Fiberglass	Woven, Felted	Excellent	Fair	Good	Fair	No	500 (260)	550 (288)
Ryton (PPS)	Woven, Felted	Very Good	Excellent	Excellent	Very Good	No	375 (191)	425 (218)
P84	Felted	Very Good	Excellent	Very Good	Fair	No	500 (260)	550 (288)



एन. एस. आई. सी.
NSIC

HI-TECH FILTERS

AN ISO 9001:2015, OHSAS 18001:2015 CERTIFIED COMPANY
(A Leader in filtration technology)

Mfg. of: Woven & Non Woven Ind. Filter Bags
Specialist of: Filter Press Cloth and Filter Bags.
(Offering exclusive Products of Arvind Ltd.)

Email: sales@hitechfilterfabric.com | sanjeev@hitechfilterfabric.com



एन. एस. आई. सी.
NSIC

HI-TECH FILTERS

AN ISO 9001:2015, OHSAS 18001:2015 CERTIFIED COMPANY
(A Leader in filtration technology)

Regd. Office / Work Address:

Plot No. J-7830/1, Near Dhira] cane GIDC, Ankleshwar - 393002, Dist. Bharuch (Gujarat) Tele/Fax: 02646-222020

Mobile: +91 99254 18943 | +91 99796 53681 | +91 99250 29943

Email: sanjeev@hi-techfilters.in | sales@hi-techfilters.in Website: www.hitechfilterfabric.com

www.hitechfilterfabric.com

We Know The Value of Your Time & Money

Service • Experience • Expertise • Savings

Website: www.hitechfilterfabric.com

Erection of Equipment



These Equipment Erection Services are highly acclaimed by the clients for their hi-tech features and high reliability. Our company has acquired a special position in the market with the help of adroit team of engineers.

Our team plans, implements and finally comes out with the best possible results. Our sophisticated systems enable us to serve the clients with their requisite and ever changing demands.

Erection of Tanks, Vessels, Pumps, Conveyors, Elevators, Material Handling Equipment & other Static and Rotary Equipments. The Project involves the construction of a pipeline system to transport LPG from the western to the northern region of India.

Our team has a valuable experience in installation and assembly of equipments up to any height.

Our personnel are often deployed within hours of a call and can carry out the



Maintenance of Industrial

We are able to provide Plant Maintenance Service that helps in preventing downtime and protects the business.

Breakdown maintenance is a less preferred choice as compared to preventive maintenance.

We provide well planned and complete preventive factory developed high quality maintenance program for the client's water treatment plant.

These services are rendered by a dedicated and well trained team of professionals.

As a noteworthy entity of this domain, we are engaged in rendering the best possible Plant Maintenance Service at most competitive prices.

For increasing the productivity and reducing the cost of production, the plant



MS / SS Reactor



In order to cater to the varied requirements of patrons, we are engaged in offering optimum quality M.S. Reactors as per the specified details.

To ensure that offered reactors are suitable to be used for industrial applications, we manufacture these by making use of the supreme quality raw material that is sourced from the prestigious vendors of the markets.

We take contentment in possessing ourselves as one of the leading manufacturers and suppliers of MS reactor. Under the strict observation of our engineers, the offered reactor is manufactured by utilizing quality-approved steel and metal alloys.

Valued as a reliable manufacturer, supplier and exporter, we render premium quality of MS Reactors.

The rendered MS Reactors are known for their rich attributes such as simple



Storage Tank

Our firm is engaged in manufacturing and supplying a wide range of MS Storage tank. These tanks are used in various industrial applications.

In order to maintain the quality and reliability of these tanks, we have made our range in accordance with the international quality standards and norms.

Owing to their unmatched quality and high storage capacity, these tanks are widely appreciated among the clients.

Our company is one of the well known companies that offer a wide range of Stainless Steel Storage Tank to meet the demands of our clients.

These Stainless Steel Storage Tanks are made from very high quality stainless steel raw material which ensures high durability at its user-end.

These are available in different configuration and in circular rectangular



Hi-Tech Engineers & Contractor

We Know The Value of Your Time & Money

Service • Experience • Expertise • Savings

Regd. Office / Work Address:

Plot No. J-7830/1, Near Dhiraaj cane GEDC, Ankleshwar - 393002, Dist. Bharuch (Gujarat) Tele/Fax: 02646-222020

Mobile: +91 99254 18943 | +91 99796 53681 | +91 99250 29943

Email: sanjeev@hitechenggasia.com Website: www.hitechenggasia.com